

Issuing Date 15-Sep-2016

Revision Date 28-Aug-2018

Revision Number 4

Japan / English

**1. PRODUCT AND COMPANY IDENTIFICATION****Product identifier**

**Product Name** EpoxiCure 2 Hardener  
**Product Code(s)** 20-3432-016, 20-3432-032  
**(M)SDS Number** 1350313\_J

**Other means of identification**

**Synonyms** No information available  
**Registration Number(s)** No information available

**Recommended use of the chemical and restrictions on use**

**Recommended Use** Laboratory Use Only  
**Uses advised against** No information available

**Details of the supplier of the safety data sheet**

**Manufacturer** Buehler  
**Manufacturer Address** Loop-X 6th Floor 3-9-15  
kaigan Minato-ku, Tokoyo 108-0022  
www.buehler.com/Japan  
**Phone number** +81 (0)3 5439 5077  
**E-mail Address** info.japan@buehler.com  
**Legal Entity** ITW Japan KK  
**Legal Entity Address** 1-4-4, Kitasuna, Koto-ku, Tokyo

**Emergency telephone number**

Global Access Code: 334545  
Asia Pacific: +1 760 476 3960 Americas: +1 760 476 3962  
Middle East/Africa: +1 760 476 3959 Europe: +1 760 476 3961  
Japan: +81 36 8908677

**2. HAZARDS IDENTIFICATION****GHS Classification**

Acute toxicity - Dermal	Category 3
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1

Respiratory sensitization	Category 1
Skin sensitization	Category 1
Reproductive toxicity	Category 1B
Specific target organ toxicity (single exposure)	Category 3
Category 3 Respiratory irritation.	
Acute aquatic toxicity	Category 2
Chronic aquatic toxicity	Category 2

**Label elements**

Signal word

Danger

**Hazard statements**

H312 - Harmful in contact with skin  
H314 - Causes severe skin burns and eye damage  
H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled  
H317 - May cause an allergic skin reaction  
H335 - May cause respiratory irritation  
H411 - Toxic to aquatic life with long lasting effects  
H360 - May damage fertility or the unborn child

**Precautionary Statements - Prevention**

Do not handle until all safety precautions have been read and understood  
Do not breathe dust/fume/gas/mist/vapors/spray  
Wash face, hands and any exposed skin thoroughly after handling  
In case of inadequate ventilation wear respiratory protection  
Contaminated work clothing should not be allowed out of the workplace  
Do not eat, drink or smoke when using this product  
Avoid release to the environment  
Wear protective gloves/protective clothing/eye protection/face protection

**Precautionary Statements - Response**

Specific treatment (see supplemental first aid instructions on this label)  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
Immediately call a POISON CENTER or doctor  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower  
Call a POISON CENTER or doctor if you feel unwell  
IF INHALED: Remove person to fresh air and keep comfortable for breathing  
Immediately call a POISON CENTER or doctor  
IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

**Precautionary Statements - Storage**

Store locked up  
Store in corrosion resistant container with a resistant inner liner

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Other hazards**

Not applicable

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Substance**

Not applicable

**Mixture**

Chemical name	Weight-%	ENCS - Japan Existing and New Chemical Substances	ISHL No.	CAS-No
Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-hydro-.omega.-(2-aminomethylethoxy)-, ether with 2-ethyl-2-(hydroxymethyl)-1,3-propanediol (3:1)	30 - 50%	No information available	No information available	39423-51-3
Triethylene tetramine	10 - 30%	(2)-163, (7)-5	Present	112-24-3
Diethylene triamine	10 - 30%	(2)-159	Present	111-40-0

**Pollutant Release and Transfer Registry (PRTR)**

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed.

Chemical name	Weight-%	Class	Cabinet order number	Relevant substance, conversion factor
Triethylene tetramine 112-24-3	10 - 30%	Class I designated chemical substance	1-278	

**Industrial Safety and Health Law**

ISHL Notifiable Substances - information (safety data sheet) to be supplied; Industrial Safety and Health Law enforcement order Table 9 (related to Industrial Safety and Health Law article 57-2 and ISHL Ordinance Article 34-2-4)

Chemical name	ISHL Notifiable Substances	Threshold Values (%)
Diethylene triamine 111-40-0	ISHL Notifiable Substances	0.1

**Poisonous and Deleterious Substances Control Law**

Chemical name	Poisonous and Deleterious Substances	Threshold Values (%)
Triethylene tetramine 112-24-3	Deleterious	> 0
Diethylene triamine 111-40-0	Deleterious	> 0

**4. FIRST AID MEASURES****First aid measures****General advice**

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

**Inhalation**

Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention. May cause allergic respiratory reaction. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

**Eye contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open

	while rinsing. Do not rub affected area. Get immediate medical advice/attention.
<b>Skin contact</b>	Get immediate medical advice/attention. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. May cause an allergic skin reaction.
<b>Ingestion</b>	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Get immediate medical advice/attention. May produce an allergic reaction.
<b>Symptoms</b>	Burning sensation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing and/ or wheezing. Itching. Rashes. Hives.
<b>Self-protection of the first aider</b>	Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. See section 8 for more information.
<b>Note to physicians</b>	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. May cause sensitization in susceptible persons. Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

<b>Flammable Properties</b>	Combustible material: may burn but does not ignite readily. Contact with metals may evolve flammable hydrogen gas. Containers may explode when heated.
<b>Suitable Extinguishing Media</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Unsuitable extinguishing media</b>	No information available.
<b>Specific hazards arising from the chemical</b>	The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. Product is or contains a sensitizer. May cause sensitization by inhalation and skin contact. May cause sensitization by skin contact.
<b>Special Extinguishing Media</b>	Cool drums with water spray.
<b>Special protective equipment for fire-fighters</b>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## 6. ACCIDENTAL RELEASE MEASURES

<b>Personal precautions</b>	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Attention! Corrosive material. Keep people away from and upwind of spill/leak.
<b>Other Information</b>	Refer to protective measures listed in Sections 7 and 8.
<b>For emergency responders</b>	Use personal protection recommended in Section 8.
<b>Environmental precautions</b>	Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.
<b>Methods for containment</b>	Prevent further leakage or spillage if safe to do so.
<b>Methods for cleaning up</b>	Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

**Reference to other sections** See section 8 for more information. See section 13 for more information.

## 7. HANDLING AND STORAGE

### Handling

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Provide extract ventilation to points where emissions occur. Remove contaminated clothing and shoes. Avoid breathing vapors or mists.

### Storage

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.

**Incompatible materials** Oxidizing agent. Acids. Bases.

**General hygiene considerations** Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure guidelines

Chemical name	Japan	ISHL Working Environmental Evaluation Standards - Administrative Control Levels	ACGIH TLV
Diethylene triamine 111-40-0	-	-	TWA: 1 ppm S*

**Biological occupational exposure limits** Not applicable

**Engineering controls** Showers  
Eyewash stations  
Ventilation systems.

### Personal protective equipment

**Eye/face protection** Face protection shield.

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

**Hand protection** Wear suitable gloves. Impervious gloves.

**Respiratory protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**Environmental exposure controls** No information available.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Physical and Chemical Properties

<b>Physical state</b>	Liquid
<b>Appearance</b>	Clear to yellow
<b>Odor</b>	Characteristic
<b>Color</b>	No information available
<b>Odor Threshold</b>	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks Method</u>
pH	No data available	
Melting / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash Point	100°C	
Evaporation Rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability limit	No data available	
Lower flammability limit	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	1.03	
Water Solubility	Soluble in water	
Solubility(ies)	No data available	None known
Partition coefficient: n-octanol/water	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Viscosity	No data available	None known
Explosive properties	No information available	
Oxidizing properties	No information available	

### Other Information

<b>Softening Point</b>	No information available
<b>Molecular Weight</b>	No information available
<b>VOC Content (%)</b>	No information available
<b>Liquid Density</b>	No information available
<b>Bulk Density</b>	No information available
<b>Particle Size</b>	No information available
<b>Particle Size Distribution</b>	No information available

## 10. STABILITY AND REACTIVITY

<b>Reactivity</b>	No information available.
<b>Stability</b>	Stable under normal conditions.
<b>Explosion Data</b>	
<b>Sensitivity to Mechanical Impact</b>	None
<b>Sensitivity to Static Discharge</b>	None
<b>Possibility of hazardous reactions</b>	None under normal processing.
<b>Conditions to avoid</b>	Exposure to air or moisture over prolonged periods.
<b>Incompatible materials</b>	Oxidizing agent. Acids. Bases.
<b>Hazardous Decomposition Products</b>	None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

### Acute Toxicity

#### Product Information

<b>Inhalation</b>	Specific test data for the substance or mixture is not available. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal. May cause sensitization in susceptible persons.
<b>Eye contact</b>	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes.
<b>Skin contact</b>	Specific test data for the substance or mixture is not available. Corrosive. (based on components). Causes burns. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. May cause sensitization by skin contact. Toxic in contact with skin.
<b>Ingestion</b>	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways. May cause additional affects as listed under "Inhalation".
<b>Symptoms</b>	Redness. Burning. May cause blindness. Coughing and/ or wheezing. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing. Itching. Rashes. Hives.

### Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	3,600.00 mg/kg
ATEmix (dermal)	647.00 mg/kg
ATEmix (inhalation-dust/mist)	70.00 mg/L

### **Unknown acute toxicity**

- 50 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 50 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 85 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

### Numerical measures of toxicity - Component Information

Chemical name	LD50 Oral	LD50 Dermal	Inhalation LC50
Triethylene tetramine 112-24-3	= 2500 mg/kg ( Rat )	= 550 mg/kg ( Rabbit )	
Diethylene triamine 111-40-0	= 1080 mg/kg ( Rat )	= 672 mg/kg ( Rabbit )	= 70 mg/L ( Rat ) 4 h

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

<b>Skin corrosion/irritation</b>	Classification based on data available for ingredients. Causes burns.
<b>Serious eye damage/eye irritation</b>	Classification based on data available for ingredients. Risk of serious damage to eyes. Causes burns.
<b>Respiratory or skin sensitization</b>	May cause sensitization by inhalation. May cause sensitization by skin contact.
<b>Germ cell mutagenicity</b>	No information available.
<b>Carcinogenicity</b>	No information available.
<b>Reproductive toxicity</b>	Classification based on data available for ingredients. Contains a known or suspected reproductive toxin.
<b>STOT - single exposure</b>	May cause respiratory irritation.
<b>STOT - repeated exposure</b>	No information available.
<b>Target Organ Effects</b>	Respiratory system. Eyes. Skin. Gastrointestinal tract (GI).
<b>Aspiration hazard</b>	No information available.

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

**Percentage for unknown hazards** 50 % of the mixture consists of component(s) of unknown hazards to the aquatic environment.

**Ecotoxicity** Toxic to aquatic life with long lasting effects.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Triethylene tetramine	72h EC50: = 2.5 mg/L (Desmodesmus subspicatus) 96h EC50: = 3.7 mg/L (Pseudokirchneriella subcapitata) 72h EC50: = 20 mg/L (Pseudokirchneriella subcapitata)	96h LC50: = 570 mg/L (Poecilia reticulata) 96h LC50: = 495 mg/L (Pimephales promelas)	-	48h EC50: = 31.1 mg/L
Diethylene triamine	72h EC50: = 1164 mg/L (Pseudokirchneriella subcapitata) 96h EC50: = 345.6 mg/L (Pseudokirchneriella subcapitata) 96h EC50: = 592 mg/L (Desmodesmus subspicatus)	96h LC50: = 430 mg/L (Leuciscus idus) 96h LC50: = 1014 mg/L (Poecilia reticulata) 96h LC50: = 248 mg/L (Poecilia reticulata)	EC50 = 2000 mg/L 1 h EC50 = 96 mg/L 17 h	24h EC50: = 37 mg/L 48h EC50: = 16 mg/L

**Persistence and Degradability** No information available.

**Bioaccumulation**



**Component Information**

Chemical name	Log Pow
Triethylene tetramine	-1.4
Diethylene triamine	-1.3

**Mobility in soil** No information available.

**Mobility** No information available.

**Other adverse effects** No information available.

**Endocrine Disruptor Information**

Chemical name	EU - Endocrine Disruptors Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Japan - Endocrine Disruptor Information
Triethylene tetramine	Group III Chemical	-	-

**13. DISPOSAL CONSIDERATIONS**

**Waste from residues/unused products** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

**14. TRANSPORT INFORMATION****IMDG**

**UN Number** UN2735  
**Proper Shipping Name** POLYAMINES, LIQUID, CORROSIVE, N.O.S.  
**Hazard Class (select)** 8  
**Packing Group (select)** III  
**EmS-No.** F-A, S-B  
**Description** UN2735, POLYAMINES, LIQUID, CORROSIVE, N.O.S. (TRIETHYLENE TETRAMINE, DIETHYLENE TRIAMINE), 8, III

**ADR**

**UN-No.** UN2735  
**Proper Shipping Name** POLYAMINES, LIQUID, CORROSIVE, N.O.S.  
**Description** UN2735, POLYAMINES, LIQUID, CORROSIVE, N.O.S. (TRIETHYLENE TETRAMINE, DIETHYLENE TRIAMINE), 8, III  
**Hazard Class** 8  
**Packing Group** III  
**Special Provisions** 274  
**Classification code** C7  
**Tunnel restriction code** (E)

**IATA**

**UN Number** UN2735  
**Proper Shipping Name** AMINES, LIQUID, CORROSIVE, N.O.S.  
**Hazard Class (select)** 8  
**Packing Group (select)** III  
**ERG Code** 8L  
**Description** UN2735, AMINES, LIQUID, CORROSIVE, N.O.S. (TRIETHYLENE TETRAMINE, DIETHYLENE TRIAMINE), 8, III

**Japan**

**UN Number** UN2735  
**Proper Shipping Name** POLYAMINES, LIQUID, CORROSIVE, N.O.S.

Hazard Class	8
Packing group	III
Special Provisions	223, 274

## 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National Regulations

##### Japan

#### **Pollutant Release and Transfer Registry (PRTR)**

See section 3 for more information

#### **Industrial Safety and Health Law**

##### **Harmful Substances Whose Names Are to be Indicated on the Label**

Harmful Substances - names to be indicated on the label; Industrial Safety and Health Law enforcement order Table 9 (related to Industrial Safety and Health Law article 57 and ISHL Ordinance Article 33)

##### **ISHL Notifiable Substances**

ISHL Notifiable Substances - information (safety data sheet) to be supplied; Industrial Safety and Health Law enforcement order Table 9 (related to Industrial Safety and Health Law article 57-2 and ISHL Ordinance Article 34-2-4)

#### **Poisonous and Deleterious Substances Control Law**

Deleterious substances - Poisonous and Deleterious Substance Control Law table 2 and Cabinet Order article 2

#### **Fire Service Law:**

Verify that requirements related to using, handling, and storing substances subject to prohibition, authorization or restriction are met

#### **Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc. (CSCL)**

Not applicable

#### **Waterworks (Water Supply) Act**

Waterworks (Water Supply) Act - items that require further study

#### **Air Pollution Control Law**

Hazardous air pollutants (HAPs) per Air Pollution Control Law article 2, paragraph 1, item 3 and Enforcement Order article 1

#### International Regulations

**Ozone-depleting substances (ODS)** Not applicable

**Persistent Organic Pollutants** Not applicable

**Export Notification requirements** Not applicable

#### International Inventories

<b>TSCA</b>	Contact supplier for inventory compliance status.
<b>DSL/NDL</b>	Contact supplier for inventory compliance status.
<b>EINECS/ELINCS</b>	Contact supplier for inventory compliance status.
<b>ENCS</b>	Contact supplier for inventory compliance status.
<b>KECL</b>	Contact supplier for inventory compliance status.
<b>PICCS</b>	Contact supplier for inventory compliance status.
<b>AICS</b>	Contact supplier for inventory compliance status.

#### Legend

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances

## 16. OTHER INFORMATION

**Prepared By** Product Stewardship  
 23 British American Blvd.  
 Latham, NY 12110  
 1-800-572-6501

**Issuing Date** 15-Sep-2016

**Revision Date** 28-Aug-2018

**Revision Note** No information available

### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	-	Skin designation
C	Carcinogen		

#### Disclaimer

This SDS complies with the requirements of JIS Z 7250:2010 and JIS Z 7252:2009 (Japan). The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



*The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.*

**End of Safety Data Sheet**